## CORRECTION TO "ON COMPLEX n-FOLDS POLARIZED BY AN AMPLE LINE BUNDLE L WITH

dim Bs  $|L| \le 0$ , g(L) = q(X) + m, **AND**  $h^0(L) \ge n + m$ "

## YOSHIAKI FUKUMA

Department of Mathematics, Faculty of Science, Kochi University, Akebono-cho, Kochi 780-8520, Japan, e-mail fukuma@math.kochi-u.ac.jp

The author would like to point out a correction to his paper "ON COMPLEX n-FOLDS POLARIZED BY AN AMPLE LINE BUNDLE L WITH dim Bs  $|L| \le 0$ , g(L) = q(X) + m, AND  $h^0(L) \ge n + m$ " Communications in Algebra 28 (2000) 5769-5782.

Lemma 2.2 in this paper should be replaced by the following statement;

**Lemma 2.2.** Let (X, L) be a polarized manifold with dim  $X = n \ge 3$  and dim Bs  $|L| \le 0$ . Set m = g(L) - q(X). If  $h^0(L) \ge n + m$  and  $K_X + (n-2)L$  is nef, then  $L^n \le 2m$ .

Here we note that we need not to change the proof of Lemma 2.2.

## Table of misprint and error.

| Page                 | Line   | Error   | Correct   |
|----------------------|--|---|---|
| 5775<br>5777<br>5777 | $\begin{array}{c} \downarrow 19 \\ \downarrow 26 \\ \downarrow 27 \end{array}$ | $egin{aligned} \widetilde{L}_{V_{n-2}} \ \widetilde{L}_{V_{n-2}} \end{aligned}$ | $egin{aligned} \widetilde{L}_{n-2} \ \widetilde{L}_{n-2} \ \widetilde{L}_{n-2} \end{aligned}$ |